LB 122

LEGISLATURE OF NEBRASKA

NINETY-NINTH LEGISLATURE

FIRST SESSION

LEGISLATIVE BILL 122

FINAL READING

Introduced by Cunningham, 40; Baker, 44; Janssen, 15; Dw. Pedersen, 39

Read first time January 6, 2005

Committee: Business and Labor

A BILL

- FOR AN ACT relating to the Boiler Inspection Act; to amend section

 48-726, Reissue Revised Statutes of Nebraska; to provide

 an exemption for certain pressure vessels; and to repeal

 the original section.
- 5 Be it enacted by the people of the State of Nebraska,

LB 122

1 Section 1. Section 48-726, Reissue Revised Statutes of

- 2 Nebraska, is amended to read:
- 3 48-726. The Boiler Inspection Act shall not apply to:
- 4 (1) boilers Boilers of railway locomotives subject to
- 5 federal inspection; -
- 6 (2) boilers Boilers operated and regularly inspected by
- 7 railway companies operating in interstate commerce; 7
- 8 (3) boilers Boilers under the jurisdiction and subject to
- 9 regular periodic inspection by the United States Government; 7
- 10 (4) boilers Boilers used exclusively for agricultural
- 11 purposes; -
- 12 (5) steam Steam heating boilers in single-family
- 13 residences and apartment houses with four or less units using a
- 14 pressure of less than fifteen pounds per square inch and having a
- 15 safety valve set at not higher than fifteen pounds pressure per
- 16 square inch; -
- 17 (6) heating Heating boilers using water in single-family
- 18 residences and apartment houses with four or less units using a
- 19 pressure of less than thirty pounds per square inch and having a
- 20 safety valve set at not higher than thirty pounds pressure per
- 21 square inch; -
- 22 (7) fire Fire engine boilers brought into the state for
- 23 temporary use in times of emergency; τ
- 24 (8) boilers of a miniature model locomotive or
- 25 boat or tractor or stationary engine constructed and maintained as
- 26 a hobby and not for commercial use and having a diameter of less
- 27 than ten inches inside diameter and a grate area not in excess of
- 28 one and one-half square feet and that are properly equipped with a

LB 122

- 1 safety valve; -
- 2 (9) hot Hot water supply boilers if none of the following
- 3 limitations is exceeded: (a) Two hundred thousand British thermal
- 4 units of input; (b) one hundred twenty gallons of nominal capacity;
- 5 or (c) two hundred ten degrees Fahrenheit output; τ
- 6 (10) unfired Unfired pressure vessels not exceeding (a)
- 7 five cubic feet in volume or (b) a pressure of two hundred fifty
- 8 pounds per square inch; 7 and
- 9 (11) unfired Unfired pressure vessels owned and
- 10 maintained by a district or corporation organized under the
- 11 provisions of Chapter 70, article 6; and
- 12 (12) Unfired pressure vessels (a) not exceeding a maximum
- 13 allowable working pressure of five hundred pounds per square inch,
- 14 (b) that contain carbon dioxide, helium, oxygen, nitrogen, argon,
- 15 hydrofluorocarbon refrigerant, or any other nonflammable gas
- 16 determined by the commissioner not to be a risk to the public, (c)
- 17 that are manufactured and repaired in accordance with applicable
- 18 American Society of Mechanical Engineers standards, and (d) that
- 19 are installed in accordance with the manufacturer's specifications.
- 20 Sec. 2. Original section 48-726, Reissue Revised
- 21 Statutes of Nebraska, is repealed.